

CheckKIT

Michigan Alcoholism Screening Test (MAST)

Score Report

by PAR Staff

Generated by



Client name: Sample Client

Client ID: SC_MAST

Age: 37

Date of birth: 10/31/1983

Sex: Male

Test date: 02/15/2021

This report is intended for use by qualified professionals only and is not to be shared with the examinee or any other unqualified persons. Since the questionnaire relies on self-report data, all responses should be verified by a clinician. A definitive diagnosis is made on clinical grounds, taking into account how well the patient understood the questionnaire, as well as other relevant information from the patient.

PAR® 16204 N. Florida Ave. | Lutz, FL 33549 | 1.800.331.8378 | parinc.com

MAST PARiConnect report copyright © 2021 by PAR. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of PAR. The MAST was developed by Dr. Melvin Selzer. The MAST is available in the public domain and no permission is required to reproduce, translate, display, or distribute the items.

MAST Score Summary

Weighted Raw Score	Classification
4	No alcohol use disorder indicated

Interpretation and Recommendation

Sample, a 37-year-old, completed the Michigan Alcoholism Screening Test (MAST) on 02/15/2021. The MAST is a 24-item, self-report screening instrument that assesses alcohol use and maladaptive alcohol-related behavior. A weighted raw score of 4 on the MAST does not indicate the presence of an alcohol use disorder. No further action is recommended.

Items and Responses

MAST Items and Responses	
Item	Response (weighted raw score)
1. Do you feel you are a normal drinker? (By normal, we mean you drink less than or as much as most other people) *	Yes (0 points)
2. Have you ...	Yes (2 points)
3. Does your partner...	No (0 points)

Redacted for Sample Report

*Indicates item is reverse scored.

2	4
Unit raw score	Weighted raw score

End of Report
