

References

- Achenbach, T., McConaughy, S., & Howell, C. (1987). Child/adolescent behavioral and emotional problems: Implications of cross-informant correlations for situational specificity. *Psychological Bulletin, 101*, 213-232.
- Ahles, T. A., & Saykin, A. (2001). Cognitive effects of standard-dose chemotherapy in patients with cancer. *Cancer Investigation, 19*(8), 812-820.
- Alderman, N., Burgess, P. W., Knight, C., & Henman, C. (2003). Ecological validity of a simplified version of the multiple errands shopping test. *Journal of the International Neuropsychological Society, 9*(1), 31-44.
- Alexander, G. E., Crutcher, M. D., & DeLong, M. R. (1990). Basal ganglia-thalamocortical circuits: Parallel substrates for motor, oculomotor, "prefrontal" and "limbic" functions. *Progress in Brain Research, 85*, 119-146.
- Alexopoulos, G. S. (2001). The depression-executive dysfunction syndrome of late life: A target for D3 receptor agonists. *American Journal of Geriatric Psychiatry, 9*(1), 22-29.
- American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (1999). *Standards for educational and psychological testing*. Washington, DC: American Psychological Association.
- American Psychiatric Association (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: Author.
- Anderson, P. (2002). Assessment and development of executive function (EF) during childhood. *Child Neuropsychology, 8*(2), 71-82.
- Anderson, V. A., Anderson, P., Northam, E., Jacobs, R., & Mikiewicz, O. (2002). Relationships between cognitive and behavioral measures of executive function in children with brain disease. *Child Neuropsychology, 8*(4), 231-240.
- Andersson, S., & Bergedalen, A. M. (2002). Cognitive correlates of apathy in traumatic brain injury. *Neuropsychiatry, Neuropsychology, & Behavioral Neurology, 15*(3), 184-191.
- Antshel, K. M., & Waisbren, S. E. (2003). Timing is everything: Executive functions in children exposed to elevated levels of phenylalanine. *Neuropsychology, 17*, 458-468.
- Arnaiz, E., & Almkvist, O. (2003). Neuropsychological features of mild cognitive impairment and preclinical Alzheimer's disease. *Acta Neurologica Scandinavica Supplementum, 179*, 34-41.
- Aron, A. R., Dowson, J. H., Sahakian, B. J., & Robbins, T. W. (2003). Methylphenidate improves response inhibition in adults with attention-deficit/hyperactivity disorder. *Biological Psychiatry, 54*(12), 1465-1468.
- Austin, M. P., Mitchell, P., & Goodwin, G. M. (2001). Cognitive deficits in depression: Possible implications for functional neuropathology. *British Journal of Psychiatry, 178*, 200-206.
- Baddeley, A. (2003). Working memory: Looking back and looking forward. *Nature Reviews Neuroscience, 4*(10), 829-839.
- Barbas, H. (2000). Connections underlying the synthesis of cognition, memory, and emotion in primate prefrontal cortices. *Brain Research Bulletin, 52*(5), 319-330.
- Barkley, R. A. (1997a). *ADHD and the nature of self-control*. New York: Guilford Press.
- Barkley, R. A. (1997b). Behavioral inhibition, sustained attention, and executive functions: Constructing a unifying theory of ADHD. *Psychological Bulletin, 121*(1), 65-94.
- Beatty, W. W., & Monson, N. (1996). Problem solving by patients with multiple sclerosis: Comparison of performance on the Wisconsin and California Card Sorting Tests. *Journal of the International Neuropsychological Society, 2*(2), 134-140.

- Beck, A. T. (1987). *Beck Depression Inventory*. San Antonio, TX: The Psychological Corporation.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Beck Depression Inventory-II (BDI-II)*. San Antonio, TX: The Psychological Corporation.
- Beebe, D. W., & Gozal, D. (2002). Obstructive sleep apnea and the prefrontal cortex: Towards a comprehensive model linking nocturnal upper airway obstruction to daytime cognitive and behavioral deficits. *Journal of Sleep Research*, 11, 1-16.
- Beebe, D. W., Wells, C. T., Jeffries, J., Chini, B., Kalra, M., & Amin, R. (2004). Neuropsychological effects of pediatric obstructive sleep apnea. *Journal of the International Neuropsychological Society*, 10(7), 962-975.
- Belger, A., Puce, A., Krystal, J. H., Gore, J. C., Goldman-Rakic, P., & McCarthy, G. (1998). Dissociation of mnemonic and perceptual processes during spatial and nonspatial working memory using functional Magnetic Resonance Imaging. *Human Brain Mapping*, 6(1), 14-32.
- Bell-McGinty, S., Podell, K., Franzen, M., Baird, A. D., & Williams, M. J. (2002). Standard measures of executive function in predicting instrumental activities of daily living in older adults. *International Journal of Geriatric Psychiatry*, 17(9), 828-834.
- Biederman, J., Fried, R., Aleardi, M., Potter, A., & Kaiser, R. (2005). [Behavior Rating Inventory of Executive Function in adults with ADHD]. Unpublished raw data.
- Bracken, B. A., & Howell, K. (2004). *Clinical Assessment of Depression*. Lutz, FL: Psychological Assessment Resources, Inc.
- Broadbent, D. E., Cooper, P. F., Fitzgerald, P., & Parkes, K. R. (1982). The Cognitive Failures Questionnaire (CFQ) and its correlates. *British Journal of Clinical Psychology*, 21, 1-16.
- Brocki, K. C., & Bohlin, G. (2004). Executive functions in children aged 6 to 13: A dimensional and developmental study. *Developmental Neuropsychology*, 26(2), 571-593.
- Brookshire, B., Levin, H. S., Song, J. X., & Zhang, L. (2004). Components of executive function in typically developing and head-injured children. *Developmental Neuropsychology*, 25, 61-83.
- Burgess, P. W. (1997). Theory and methodology in executive function research. In P. Rabbitt (Ed.), *Methodology of frontal and executive function* (pp. 81-116). Hove, U.K.: Psychology Press.
- Burgess, P. W., Alderman, N., Evans, J., Emslie, H., & Wilson, B. A. (1998). The ecological validity of tests of executive function. *Journal of the International Neuropsychological Society*, 4(6), 547-558.
- Campbell, D. T., & Fiske, D. W. (1959). Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin*, 56(2), 81-105.
- Carlson, S. M. (2003). Executive function in context: Development, measurement, theory, and experience. *Monographs of the Society for Research in Child Development*, 68(3), 138-151.
- Carmelli, D., Swan, G. E., DeCarli, C., & Reed, T. (2002). Quantitative genetic modeling of regional brain volumes and cognitive performance in older male twins. *Biological Psychology*, 61, 139-155.
- Castellanos, F. X., Marvasti, F. F., Ducharme, J. L., Walter, J. M., Israel, M. E., Krain, A., et al. (2000). Executive function oculomotor tasks in girls with ADHD. *Journal of the American Academy of Child & Adolescent Psychiatry*, 39(5), 644-650.
- Chaytor, N., & Schmitter-Edgecombe, M. (2003). The ecological validity of neuropsychological tests: A review of the literature on everyday cognitive skills. *Neuropsychology Review*, 13(4), 181-197.
- Coffey, C. E., Figiel, G. S., Djang, W. T., & Weiner, R. D. (1990). Subcortical hyperintensity in MRI: A comparison of normal and depressed elderly subjects. *American Journal of Psychiatry*, 147, 187-189.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, 16, 297-334.
- Cummings, D. D., Singer, H. S., Krieger, M., Miller, T. L., & Mahone, E. M. (2002). Neuropsychiatric effects of guanfacine in children with mild Tourette syndrome: A pilot study. *Clinical Neuropharmacology*, 25, 325-332.
- Cummings, J. L. (1995). Anatomic and behavioral aspects of frontal-subcortical circuits. *Annals of the New York Academy of Sciences*, 769, 1-13.
- Daigneault, S., Braun, C. M., & Whitaker, H. A. (1992). Early effects of normal aging on perseverative and non-perseverative prefrontal measures. *Developmental Neuropsychology*, 8, 99-114.
- Dawson, P., & Guare, R. (2004). *Executive skills in children and adolescents: A practical guide to assessment and intervention*. New York: Guilford Press.
- Dawson, G., Panagiotides, H., Klinger, L. G., & Hill, D. (1992). The role of frontal lobe functioning in the development of infant self-regulatory behavior. *Brain & Cognition*, 20(1), 152-175.

- De Luca, C. R., Wood, S. J., Anderson, V., Buchanan, J. A., Proffitt, T. M., Mahony, K., et al. (2003). Normative data from the CANTAB. I: Development of executive function over the lifespan. *Journal of Clinical and Experimental Neuropsychology*, 25(2), 242-254.
- Diamond, A., & Taylor, C. (1996). Development of an aspect of executive control: Development of the abilities to remember what I said and to "do as I say, not as I do." *Developmental Psychobiology*, 29(4), 315-334.
- Duke, L. M., & Kaszniak, A. W. (2000). Executive control functions in degenerative dementias: A comparative review. *Neuropsychology Review*, 10(2), 75-99.
- Eslinger, P. J., & Damasio, A. R. (1985). Severe disturbance of higher cognition after bilateral frontal lobe ablation: Patient EVR. *Neurology*, 35(12), 1731-1741.
- Espy, K. A., Stalets, M. M., McDiarmid, M. M., Senn, T. E., Cwik, M. F., & Hamby, A. (2002). Executive functions in preschool children born preterm: Application of cognitive neuroscience paradigms. *Child Neuropsychology*, 8(2), 83-92.
- Exner, C., Boucsein, K., Lange, C., Winter, H., Weniger, G., Steinhoff, B. J., et al. (2002). Neuropsychological performance in frontal lobe epilepsy. *Seizure*, 11(1), 20-32.
- Farias, S. T., Harrell, E., Neumann, C., & Houtz, A. (2003). The relationship between neuropsychological performance and daily functioning in individuals with Alzheimer's disease: Ecological validity of neuropsychological tests. *Archives of Clinical Neuropsychology*, 18(6), 655-672.
- Fein, G., Di Sclafani, V., & Meyerhoff, D. J. (2002). Prefrontal cortical volume reduction associated with frontal cortex function deficit in 6-week abstinent crack-cocaine dependent men. *Drug & Alcohol Dependence*, 68(1), 87-93.
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (1997). *Structured Clinical Interview for DSM-IV Axis I Disorders (SCID-I), Patient Edition*. Washington, DC: American Psychiatric Publishing.
- Flashman, L. A. (2002). Disorders of awareness in neuropsychiatric syndromes: An update. *Current Psychiatry Reports*, 4(5), 346-353.
- Flashman, L. A., & Roth, R. M. (2004). Neural correlates of unawareness of illness in psychosis. In X. Amador & A. David (Eds.), *Insight and psychosis: Awareness of illness in schizophrenia and related disorders* (2nd ed.). New York: Oxford University Press.
- Giancola, P. R., & Moss, H. B. (1998). Executive cognitive functioning in alcohol use disorders. *Recent Developments in Alcoholism*, 14, 227-251.
- Gilotty, L., Kenworthy, L., Sirian, L., Black, D. O., & Wagner, A. E. (2002). Adaptive skills and executive function in autism spectrum disorders. *Child Neuropsychology*, 8(4), 241-248.
- Gioia, G. A., Espy, K. A., & Isquith, P. K. (2003). *BRIEF-P: Behavior Rating Inventory of Executive Function—Preschool Version*. Lutz, FL: Psychological Assessment Resources.
- Gioia, G. A., & Isquith, P. K. (2004). Ecological assessment of executive function in traumatic brain injury. *Developmental Neuropsychology*, 25, 135-158.
- Gioia, G. A., Isquith, P. K., & Guy, S. C. (2001). Assessment of executive function in children with neurological impairments. In R. Simeonsson & S. Rosenthal (Eds.), *Psychological and developmental assessment* (pp. 317-356). New York: Guilford Press.
- Gioia, G. A., Isquith, P. K., Guy, S. C., & Kenworthy, L. (2000). *Behavior Rating Inventory of Executive Function*. Odessa, Florida: Psychological Assessment Resources.
- Gioia, G. A., Isquith, P. K., Kenworthy, L., & Barton, R. M. (2002). Profiles of everyday executive function in acquired and developmental disorders. *Child Neuropsychology*, 8(2), 121-137.
- Goldberg, E., & Podell, K. (2000). Adaptive decision making, ecological validity, and the frontal lobes. *Journal of Clinical & Experimental Neuropsychology*, 22(1), 56-68.
- Goldman-Rakic, P. (1987). Circuitry of primate prefrontal cortex and regulation of behavior by representational memory. In V. Mountcastle, F. Plum, & S. Geiger (Eds.), *Handbook of physiology—The nervous system* (pp. 373-417). Bethesda, MD: American Physiological Society.
- Goldstein, L. H., Bernard, S., Fenwick, P. B., Burgess, P. W., & McNeil, J. (1993). Unilateral frontal lobectomy can produce strategy application disorder. *Journal of Neurology, Neurosurgery, & Psychiatry*, 56(3), 274-276.
- Goodwin, G. M. (1997). Neuropsychological and neuroimaging evidence for the involvement of the frontal lobes in depression. *Journal of Psychopharmacology*, 11(2), 115-122.
- Grace, J., & Malloy, P. F. (2002). *Frontal Systems Behavior Scale (FrSBe)*. Lutz, FL: Psychological Assessment Resources.

- Guy, S. C., Isquith, P. K., & Gioia, G. A. (2004). *Behavior Rating Inventory of Executive Function—Self-Report Version*. Lutz, FL: Psychological Assessment Resources.
- Hart, T., Giovannetti, T., Montgomery, M. W., & Schwartz, M. F. (1998). Awareness of errors in naturalistic action after traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 13(5), 16-28.
- Holmes-Bernstein, J., & Waber, D. P. (1990). Developmental neuropsychological assessment: The systemic approach. In A. A. Boulton, G. B. Baker, & M. Hiscock (Eds.), *Neuropsychology: Neuromethods Vol. 17* (pp. 311-371). Clifton, NJ: Humana.
- Isquith, P. K., Gioia, G. A., & Espy, K. A. (2004). Executive function in preschool children: Examination through everyday behavior. *Developmental Neuropsychology*, 26(1), 403-422.
- Jacobs, R., & Anderson, V. (2002). Planning and problem solving skills following focal frontal brain lesions in childhood: Analysis using the Tower of London. *Child Neuropsychology*, 8, 93-106.
- Jahanshahi, M., Rowe, J., Saleem, T., Brown, R. G., Limousin-Dowsey, P., Rothwell, J. C., et al. (2002). Striatal contribution to cognition: Working memory and executive function in Parkinson's disease before and after unilateral posteroventral pallidotomy. *Journal of Cognitive Neuroscience*, 14(2), 298-310.
- Jernigan, T. L., Archibald, S. L., Fennema-Notestine, C., Gamst, A. C., Stout, J. C., Bonner, J., et al. (2001). Effects of age on tissues and regions of the cerebrum and cerebellum. *Neurobiology of Aging*, 22(4), 581-594.
- Kalayam, B., & Alexopoulos, G. S. (1999). Prefrontal dysfunction and treatment response in geriatric depression. *Archives of General Psychiatry*, 56, 713-718.
- Kelly, A. M., Hester, R., Murphy, K., Javitt, D. C., Foxe, J. J., & Garavan, H. (2004). Prefrontal-subcortical dissociations underlying inhibitory control revealed by event-related fMRI. *European Journal of Neuroscience*, 19(11), 3105-3112.
- Kerr, A., & Zelazo, P. D. (2004). Development of "hot" executive function: The children's gambling task. *Brain & Cognition*, 55(1), 148-157.
- Kiosses, D. N., Alexopoulos, G. S., & Murphy, C. (2000). Symptoms of striatofrontal dysfunction contribute to disability in geriatric depression. *International Journal of Geriatric Psychiatry*, 15(11), 992-999.
- Kral, M. C., & Brown, R. T. (2004). Transcranial Doppler ultrasonography and executive dysfunction in children with sickle cell disease. *Journal of Pediatric Psychology*, 29, 185-195.
- Krasnegor, N. A., Lyon, G. R., & Goldman-Rakic, P. S. (1997). *Development of the prefrontal cortex: Evolution, neurobiology and behavior*. Baltimore: Paul H. Brookes.
- Krishnan, K. R. (1993). Neuroanatomic substrates of depression in the elderly. *Journal of Geriatric Psychiatry and Neurology*, 6, 39-58.
- Lawrence, V., Houghton, S., Douglas, G., Durkin, K., Whiting, K., & Tannock, R. (2004). Executive function and ADHD: A comparison of children's performance during neuropsychological testing and real-world activities. *Journal of Attention Disorders*, 7, 137-149.
- Lazeron, R., Rombouts, S., Scheltens, P., Polman, C., & Barkhof, F. (2004). An fMRI study of planning-related brain activity in patients with moderately advanced multiple sclerosis. *Multiple Sclerosis*, 10, 549-555.
- Lesser, I. M., Boone, K. B., Mehringer, C. M., Wohl, M. A., Miller, B. L., & Bergman, N. G. (1996). Cognition and white matter hyperintensities in older depressed adults. *American Journal of Psychiatry*, 153, 1280-1287.
- Levine, B., Dawson, D., Boutet, I., Schwartz, M. L., & Stuss, D. T. (2000). Assessment of strategic self-regulation in traumatic brain injury: Its relationship to injury severity and psychosocial outcome. *Neuropsychology*, 14(4), 491-500.
- Lewis, S. J., Cools, R., Robbins, T. W., Dove, A., Barker, R. A., & Owen, A. M. (2003). Using executive heterogeneity to explore the nature of working memory deficits in Parkinson's disease. *Neuropsychologia*, 41(6), 645-654.
- Lewis, S. J., Dove, A., Robbins, T. W., Barker, R. A., & Owen, A. M. (2003). Cognitive impairments in early Parkinson's disease are accompanied by reductions in activity in frontostriatal neural circuitry. *Journal of Neuroscience*, 23(15), 6351-6356.
- Lezak, M. D. (1995). *Neuropsychological assessment* (3rd ed.). New York: Oxford University Press.
- Liotti, M., & Mayberg, H. S. (2001). The role of functional neuroimaging in the neuropsychology of depression. *Journal of Clinical & Experimental Neuropsychology*, 23(1), 121-136.

- Mahone, E. M., Cirino, P. T., Cutting, L. E., Cerrone, P. M., Hagelthorn, K. M., Hiemenz, J. R., et al. (2002). Validity of the Behavior Rating Inventory of Executive Function in children with ADHD and/or Tourette syndrome. *Archives of Clinical Neuropsychology*, 17, 643-662.
- Mahone, E. M., Hagelthorn, K. M., Cutting, L. E., Schuerholz, L. J., Pelletier, S. F., Rawlins, C., et al. (2002). Effects of IQ on executive function measures in children with ADHD. *Child Neuropsychology*, 8, 52-65.
- Mahone, E. M., Zabel, T. A., Levey, E., Verda, M., & Kinsman, S. (2002). Parent and self-report ratings of executive function in adolescents with myelomeningocele and hydrocephalus. *Child Neuropsychology*, 8(4), 258-270.
- Manes, F., Sahakian, B., Clark, L., Rogers, R., Antoun, N., Aitken, M., et al. (2002). Decision-making processes following damage to the prefrontal cortex. *Brain*, 125(Pt. 3), 624-639.
- Mangeot, S., Armstrong, K., Colvin, A. N., Yeates, K. O., & Taylor, H. G. (2002). Long-term executive function deficits in children with traumatic brain injuries: Assessment using the Behavior Rating Inventory of Executive Function (BRIEF). *Child Neuropsychology*, 8(4), 271-284.
- McAllister, T. W., Flashman, L. A., McDonald, B. C., Hynes, M. L., Sullivan, D. A., & Saykin, A. J. (2005). [Behavior Rating Inventory of Executive Function in adults with traumatic brain injury]. Unpublished raw data.
- McAllister, T. W., Sparling, M. B., Flashman, L. A., & Saykin, A. J. (2001). Neuroimaging findings in mild traumatic brain injury. *Journal of Clinical and Experimental Neuropsychology*, 23(6), 775-791.
- McDonald, B. C., Flashman, L. A., & Saykin, A. J. (2002). Executive dysfunction following traumatic brain injury: Neural substrates and treatment strategies. *Neurorehabilitation*, 17(4), 333-344.
- McDonald, B. C., & Saykin, A. J. (2005). [Behavior Rating Inventory of Executive Function in adults with seizure disorders]. Unpublished raw data.
- Meyers, C. A., Berman, S. A., Scheibel, R. S., & Hayman, A. (1992). Case report: Acquired antisocial personality disorder associated with unilateral left orbital frontal lobe damage. *Journal of Psychiatry and Neuroscience*, 17(3), 121-125.
- Miller, B. L., & Cummings, J. L. (1999). *The human frontal lobes*. New York: Guilford Press.
- Miller, C. A. (1999). Gross morphology and architectonics of the frontal lobes. In B. L. Miller & J. L. Cummings (Eds.), *The human frontal lobes*. New York: Guilford Press.
- Morey, L. C. (1991). *Personality Assessment Inventory*. Odessa, FL: Psychological Assessment Resources.
- Morris, J. C. (1993). The Clinical Dementia Rating (CDR): Current version and scoring rules. *Neurology*, 43(11), 2412-2414.
- Murphy, K. R., Barkley, R. A., & Bush, T. (2001). Executive functioning and olfactory identification in young adults with attention deficit-hyperactivity disorder. *Neuropsychology*, 15(2), 211-220.
- Nagahama, Y., Okina, T., Suzuki, N., Matsuzaki, S., Yamauchi, H., Nabatame, H., et al. (2003). Factor structure of a modified version of the Wisconsin Card Sorting Test: An analysis of executive deficit in Alzheimer's disease and mild cognitive impairment. *Dementia and Geriatric Cognitive Disorders*, 16(2), 103-112.
- O'Brien, J. T., Wiseman, R., Burton, E. J., Barber, B., Wesnes, K., Saxby, B., et al. (2002). Cognitive associations of subcortical white matter lesions in older people. *Annals of the New York Academy of Sciences*, 977, 436-444.
- Ott, B. R., Lafleche, G., Whelihan, W. M., Buongiorno, G. W., Albert, M. S., & Fogel, B. S. (1996). Impaired awareness of deficits in Alzheimer disease. *Alzheimer Disease and Associated Disorders*, 10(2), 68-76.
- Owen, A. M., James, M., Leigh, P. N., Summers, B. A., Marsden, C. D., Quinn, N. P., et al. (1992). Fronto-striatal cognitive deficits at different stages of Parkinson's disease. *Brain*, 115, 1727-1751.
- Oyegbile, T. O., Dow, C., Jones, J., Bell, B., Rutecki, P., Sheth, R., et al. (2004). The nature and course of neuropsychological morbidity in chronic temporal lobe epilepsy. *Neurology*, 62(10), 1736-1742.
- Pantelis, C., Barnes, T. R., Nelson, H. E., Tanner, S., Weatherley, L., Owen, A. M., et al. (1997). Frontal-striatal cognitive deficits in patients with chronic schizophrenia. *Brain*, 120(Pt. 10), 1823-1843.
- Pennington, B. F., & Ozonoff, S. (1996). Executive functions and developmental psychopathology. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 37(1), 51-87.

- Petersen, R. C., Stevens, J. C., Ganguli, M., Tangalos, E. G., Cummings, J. L., & DeKosky, S. T. (2001). Practice parameter: Early detection of dementia: Mild cognitive impairment (an evidence-based review). Report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurology*, 56(9), 1133-1142.
- Petrides, M., & Milner, B. (1982). Deficits on subject-ordered tasks after frontal- and temporal-lobe lesions in man. *Neuropsychologia*, 20, 249-262.
- Prigatano, G. P., Bruna, O., Mataro, M., Munoz, J. M., Fernandez, S., & Junque, C. (1998). Initial disturbances of consciousness and resultant impaired awareness in Spanish patients with traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 13(5), 29-38.
- Rabin, L. A., Saykin, A. J., Flashman, L. A., Nutter-Upham, K., & Santulli, R. (2005). [Behavior Rating Inventory of Executive Function in mild cognitive impairment and healthy adults with cognitive complaints]. Unpublished raw data.
- Rao, S., Leo, G., Bernardin, L., & Unverzagt, F. (1991). Cognitive dysfunction in multiple sclerosis: Frequency, patterns, and predictions. *Neurology*, 41, 685-691.
- Rao, S. M., Bobholz, J. A., Hammeke, T. A., Rosen, A. C., Woodley, S. J., Cunningham, J. M., et al. (1997). Functional MRI evidence for subcortical participation in conceptual reasoning skills. *NeuroReport*, 8(8), 1987-1993.
- Ready, R. E., Ott, B. R., Grace, J., & Cahn-Weiner, D. A. (2003). Apathy and executive dysfunction in mild cognitive impairment and Alzheimer disease. *American Journal of Geriatric Psychiatry*, 11(2), 222-228.
- Ready, R. E., Stierman, L., & Paulsen, J. S. (2001). Ecological validity of neuropsychological and personality measures of executive functions. *Clinical Neuropsychologist*, 15(3), 314-323.
- Reynolds, C. R., & Kamphaus, R. W. (1992). *Behavior Assessment System for Children*. Circle Pines, MN: American Guidance Service.
- Reynolds, C. R., & Kamphaus, R. W. (2003). *Reynolds Intellectual Assessment Scales*. Lutz, FL: Psychological Assessment Resources.
- Riccio, C. A., Wolfe, M. E., Romine, C., Davis, B., & Sullivan, J. R. (2004). The Tower of London and neuropsychological assessment of ADHD in adults. *Archives of Clinical Neuropsychology*, 19(5), 661-671.
- Robbins, T. W. (1996). Dissociating executive functions of the prefrontal cortex. *Philosophical Transactions of the Royal Society of London-Series B: Biological Sciences*, 351(1346), 1463-1470.
- Rogers, M. A., Kasai, K., Koji, M., Fukuda, R., Iwanami, A., Nakagome, K., et al. (2004). Executive and prefrontal dysfunction in unipolar depression: A review of neuropsychological and imaging evidence. *Neuroscience Research*, 50, 1-11.
- Roth, R. M., & Baribeau, J. (1996). Performance of sub-clinical compulsive checkers on putative tests of frontal and temporal lobe memory functions. *Journal of Nervous & Mental Disease*, 184(7), 411-416.
- Roth, R. M., Flashman, L. A., Saykin, A. J., McAllister, T. W., & Vidaver, R. (2004). Apathy in schizophrenia: Reduced frontal lobe volume and neuropsychological deficits. *American Journal of Psychiatry*, 161(1), 157-159.
- Roth, R. M., & Saykin, A. J. (2004). Executive dysfunction in attention-deficit/hyperactivity disorder: Cognitive and neuroimaging findings. *Psychiatric Clinics of North America*, 27, 83-96.
- Roth, R. M., Wishart, H. A., Flashman, L. A., Riordan, H. J., Huey, L., & Saykin, A. J. (2004). Contribution of organizational strategy to verbal learning and memory in adults with attention-deficit/hyperactivity disorder. *Neuropsychology*, 18(1), 78-84.
- Saykin, A. J., Wishart, H. A., Flashman, L. A., Santulli, R. B., Brown, C. J., Baxter, L. C., et al. (2003). Gray matter reduction in MCI and in older adults with cognitive complaints. *Journal of the International Neuropsychological Society*, 9(2), 174.
- Saykin, A. J., Wishart, H. A., Rabin, L. A., Flashman, L. A., McHugh, T. L., Mamourian, A. C., et al. (2004). Cholinergic enhancement of frontal lobe activity in mild cognitive impairment. *Brain*, 127, 1574-1583.
- Segalowitz, S. J., & Davies, P. L. (2004). Charting the maturation of the frontal lobe: An electrophysiological strategy. *Brain & Cognition*, 55(1), 116-133.
- Seidman, L. J., Biederman, J., Weber, W., Hatch, M., & Faraone, S. V. (1998). Neuropsychological function in adults with attention-deficit hyperactivity disorder. *Biological Psychiatry*, 44(4), 260-268.
- Seltzer, B., Vasterling, J. J., Mathias, C. W., & Brennan, A. (2001). Clinical and neuropsychological correlates of impaired awareness of deficits in Alzheimer disease and Parkinson disease: A comparative study. *Neuropsychiatry, Neuropsychology, and Behavioral Neurology*, 14(2), 122-129.

- Semkovska, M., Bedard, M. A., Godbout, L., Limoge, F., & Stip, E. (2004). Assessment of executive dysfunction during activities of daily living in schizophrenia. *Schizophrenia Research*, 69, 289-300.
- Shallice, T., & Burgess, P. W. (1991). Deficits in strategy application following frontal lobe damage in man. *Brain*, 114(Pt. 2), 727-741.
- Shear, P. K., DelBello, M. P., Lee Rosenberg, H., & Strakowski, S. M. (2002). Parental reports of executive dysfunction in adolescents with bipolar disorder. *Child Neuropsychology*, 8(4), 285-295.
- Span, M. M., Ridderinkhof, K. R., & van der Molen, M. W. (2004). Age-related changes in the efficiency of cognitive processing across the life span. *Acta Psychologica*, 117(2), 155-183.
- Spielberger, C. D., Gorsuch, R. L., & Lushene, R. E. (1970). *State-Trait Anxiety Inventory (STAII Form C1)*. Palo Alto, CA: Consulting Psychologists Press.
- Stenager, E., Knudsen, L., & Jensen, K. (1994). Multiple sclerosis: Correlation of anxiety, physical impairment and cognitive dysfunction. *Italian Journal of Neurological Sciences*, 15(2), 97-101.
- Stuss, D. T., & Alexander, M. P. (2000). Executive functions and the frontal lobes: A conceptual view. *Psychological Research*, 63(3-4), 289-298.
- Stuss, D. T., & Benson, D. F. (1984). Neuropsychological studies of the frontal lobes. *Psychological Bulletin*, 95, 3-28.
- Stuss, D. T., & Knight, R. T. (2002). *Principles of frontal lobe function*. New York: Oxford University Press.
- Stuss, D. T., & Levine, B. (2002). Adult clinical neuropsychology: Lessons from studies of the frontal lobes. *Annual Review of Psychology*, 53, 401-433.
- Sullivan, E. V., Fama, R., Rosenbloom, M. J., & Pfefferbaum, A. (2002). A profile of neuropsychological deficits in alcoholic women. *Neuropsychology*, 16(1), 74-83.
- Swanberg, M. M., Tractenberg, R. E., Mohs, R., Thal, L. J., & Cummings, J. L. (2004). Executive dysfunction in Alzheimer disease. *Archives of Neurology*, 61(4), 556-560.
- Sweet, L. H., Rao, S. M., Primeau, M., Mayer, A. R., & Cohen, R. A. (2004). Functional magnetic resonance imaging of working memory among multiple sclerosis patients. *Journal of Neuroimaging*, 14(2), 150-157.
- Thierry, A. M., Gioanni, Y., Dégénétas, E., & Glowinski, J. (2000). Hippocampo-prefrontal cortex pathway: Anatomical and electrophysiological characteristics. *Hippocampus*, 10, 411-419.
- Thompson, P. M., Giedd, J. N., Woods, R. P., MacDonald, D., Evans, A. C., & Toga, A. W. (2000). Growth patterns in the developing brain detected by using continuum mechanical tensor maps. *Nature*, 404(6774), 190-193.
- Townsend, L. A., Malla, A. K., & Norman, R. M. (2001). Cognitive functioning in stabilized first-episode psychosis patients. *Psychiatry Research*, 104(2), 119-131.
- Tranel, D., Anderson, S. W., & Benton, A. L. (1994). Development of the concept of 'executive function' and its relationship to the frontal lobes. In F. Boller & J. Grafman (Eds.), *Handbook of neuropsychology* (Vol. 9, pp. 125-148). Amsterdam: Elsevier Science.
- U.S. Bureau of the Census. (2002). *Current population survey, March 2002*. [Data file]. Washington, DC: U.S. Department of Commerce.
- Valenzuela, M. J., Sachdev, P. S., Wen, W., Shnier, R., Brodaty, H., & Gillies, D. (2000). Dual voxel proton magnetic resonance spectroscopy in the healthy elderly: Subcortical-frontal axonal N-acetylaspartate levels are correlated with fluid cognitive abilities independent of structural brain changes. *Neuroimage*, 12(6), 747-756.
- van der Molen, M. W. (2000). Developmental changes in inhibitory processing: Evidence from psychophysiological measures. *Biological Psychology*, 54(1-3), 207-239.
- van der Werf, Y. D., Weerts, J. G., Jolles, J., Witter, M. P., Lindeboom, J., & Scheltens, P. (1999). Neuropsychological correlates of a right unilateral lacunar thalamic infarction. *Journal of Neurology, Neurosurgery, and Psychiatry*, 66(1), 36-42.
- Verhaeghen, P., & Cerella, J. (2002). Aging, executive control, and attention: A review of meta-analyses. *Neuroscience and Biobehavioral Reviews*, 26(7), 849-857.
- Vriezen, E. R., & Pigott, S. E. (2002). The relationship between parental report on the BRIEF and performance-based measures of executive function in children with moderate to severe traumatic brain injury. *Child Neuropsychology*, 8, 296-303.
- Wecker, N. S., Kramer, J. H., Wisniewski, A., Delis, D. C., & Kaplan, E. (2000). Age effects on executive ability. *Neuropsychology*, 14(3), 409-414.
- Weinberger, D. R., & Berman, K. F. (1996). Prefrontal function in schizophrenia: Confounds and controversies. *Philosophical Transactions of the Royal Society of London-Series B: Biological Sciences*, 351(1346), 1495-1503.

- Wilson, B. A., Alderman, N., Burgess, P., Emslie, H., & Evans, J. J. (1996). *Behavioral Assessment of the Dysexecutive Syndrome*. Bury St. Edmunds, Suffolk, England: The Thames Valley Test Company.
- Wishart, H. A., & Saykin, A. J. (2005). [Multiple sclerosis and executive functions: Self and informant reports on the Behavior Rating Inventory of Executive Function-A]. Unpublished raw data.
- Wishart, H. A., Saykin, A. J., McDonald, B. C., Mamourian, A. C., Flashman, L. A., Schuschu, K. R., et al. (2004). Brain activation patterns associated with working memory in relapsing-remitting MS. *Neurology*, 62(2), 234-238.
- Wishart, H. A., & Sharpe, D. (1997). Neuropsychological aspects of multiple sclerosis: A quantitative review. *Journal of Clinical and Experimental Neuropsychology*, 19, 810-824.
- Woods, S. P., Lovejoy, D. W., & Ball, J. D. (2002). Neuropsychological characteristics of adults with ADHD: A comprehensive review of initial studies. *Clinical Neuropsychologist*, 16(1), 12-34.
- Yesavage, J. A., Brink, T. L., Rose, T. L., Lun, O., Huang, V., Adez, M., et al. (1983). Development and validation of a geriatric depression screening scale: A preliminary report. *Journal of Psychiatric Research*, 17, 37-49.
- Zelazo, P. D. (2004). The development of conscious control in childhood. *Trends in Cognitive Sciences*, 8(1), 12-17.
- Zelazo, P. D., Craik, F. I., & Booth, L. (2004). Executive function across the life span. *Acta Psychologica*, 115(2-3), 167-183.
- Zelazo, P. D., Muller, U., Frye, D., Marcovitch, S., Argitis, G., Boseovski, J., et al. (2003). The development of executive function in early childhood. *Monographs of the Society for Research in Child Development*, 68(3), vii-137.