

# REFERENCES

---

- Aarsland, D., Litvan, I., Salmon, D., Galasko, D., Wentzel-Larsen, T., & Larsen, J. P. (2003). Performance on the Dementia Rating Scale in Parkinson's disease with dementia and dementia with Lewy bodies: Comparison with progressive supra-nuclear palsy and Alzheimer's disease. *Journal of Neurology, Neurosurgery, and Psychiatry*, 74(9), 1215-1220.
- Ahles, T. A., & Saykin, A. (2002). Cognitive effects of standard-dose chemotherapy in patients with cancer. *Cancer Investigation*, 19(8), 812-820.
- Ahles, T. A., Saykin, A. J., Furstenberg, C. T., Cole, B., Mott, L. A., Skalla, K., et al. (2002). Neuropsychologic impact of standard-dose systemic chemotherapy in long-term survivors of breast cancer and lymphoma. *Journal of Clinical Oncology*, 20(2), 485-493.
- American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (1999). *Standards for educational and psychological testing*. Washington, DC: American Psychological Association.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington DC: Author.
- American Psychological Association. (1987). *General guidelines for providers of psychological services*. Washington, DC: Author.
- American Psychological Association. (2002). Ethical principles of psychologists and code of conduct. *American Psychologist*, 57(12), 1060-1073.
- Anderson-Hanley, C., Sherman, M. L., Riggs, R., Agocha, V. B., & Compas, B. E. (2003). Neuropsychological effects of treatments for adults with cancer: A meta-analysis and review of the literature. *Journal of the International Neuropsychological Society*, 9(7), 967-982.
- Bank, A. L., Yochim, B. P., MacNeill, S. E., & Lichtenberg, P. A. (2000). Expanded normative data for the Mattis Dementia Rating Scale for use with urban, elderly medical patients. *The Clinical Neuropsychologist*, 14(2), 149-156.
- Basso, M. R., Bornstein, R. A., & Lang, J. M. (1999). Practice effects on commonly used measures of executive function across twelve months. *The Clinical Neuropsychologist*, 13(3), 283-292.
- Bird, C. M., Papadopoulo, K., Ricciardelli, P., Rossor, M. N., & Cipolotti, L. (2003). Test-retest reliability, practice effects, and reliable change indices for the Recognition Memory Test. *British Journal of Clinical Psychology*, 42(4), 407-425.
- Bobholz, J. H., & Brandt, J. (1993). Assessment of cognitive impairment: Relationship of the Dementia Rating Scale to the Mini-Mental State Examination. *Journal of Geriatric Psychiatry and Neurology*, 6(4), 210-213.
- Brandt, J., & Benedict, R. H. B. (2001). *Hopkins Verbal Learning Test—Revised professional manual*. Odessa, FL: Psychological Assessment Resources.
- Brezden, C. B., Phillips, K. A., Abdoell, M., Bunston, T., & Tannock, I. F. (2000). Cognitive function in breast cancer patients receiving adjuvant chemotherapy. *Journal of Clinical Oncology*, 18(14), 2695-2701.
- Brown, G. G., Rahill, A. A., Gorell, J. M., McDonald, C., Brown, S. J., Sillanpaa, M., et al. (1999). Validity of the Dementia Rating Scale in assessing cognitive function in Parkinson's disease. *Journal of Geriatric Psychiatry and Neurology*, 12(4), 180-188.
- Chase, T. N., Foster, N. L., Fedio, P., Brooks, R., Mansi, L., & Di Chiro, G. (1984). Regional cortical dysfunction in Alzheimer's disease as determined by positron emission tomography. *Annals of Neurology*, 15(Suppl.), S170-S174.

- Coblentz, J. M., Mattis, S., Zingesser, L. H., Kasof, S. S., Wisniewski, H. M., & Katzman, R. (1973). Presenile dementia: Clinical aspects and evaluation of cerebrospinal fluid dynamics. *Archives of Neurology*, 29(5), 299-308.
- Cohen, J., & Cohen, P. (1983). *Applied multiple regression/correlation analysis for the behavioral sciences* (2nd ed.). Hillsdale, NJ: Erlbaum.
- Cronbach, L. J., Gleser, G. C., Nanda, H., & Rajaratnam, N. (1972). *The dependability of behavioral measurements: Theory of generalizability for scores and profiles*. New York: Wiley.
- Duff, K., Westervelt, H. J., McCaffrey, R. J., & Haase, R. F. (2001). Practice effects, test-retest stability, and dual baseline assessments with the California Verbal Learning Test in an HIV sample. *Archives of Clinical Neuropsychology*, 16(5), 461-476.
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). "Mini-mental state": A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12, 189-198.
- Freidl, W., Schmidt, R., Stronegger, W.-J., Fazekas, F., & Reinhart, B. (1996). Sociodemographic predictors and concurrent validity of the Mini-Mental State Examination and the Mattis Dementia Rating Scale. *European Archives of Psychiatry and Clinical Neuroscience*, 246(6), 317-319.
- Galasko, D., Abramson, I., Corey-Bloom, J., & Thal, L. J. (1993). Repeated exposure to the Mini-Mental State Examination and the Information-Memory-Concentration Test results in a practice effect in Alzheimer's disease. *Neurology*, 43, 1559-1563.
- Gardner, R., Oliver-Munoz, S., Fisher, L. P., & Empting, L. (1981). Mattis Dementia Rating Scale: Internal reliability study using a diffusely impaired population. *Journal of Clinical Neuropsychology*, 3(3), 271-275.
- Green, R. C., Woodward, J. L., & Green, J. (1995). Validity of the Mattis Dementia Rating Scale for detection of cognitive impairment in the elderly. *Journal of Neuropsychiatry and Clinical Neurosciences*, 7(3), 357-360.
- Guilford, J. P., & Guilford, J. S. (1980). *Christensen-Guilford Fluency Tests: Manual of instructions and interpretations*. Palo Alto, CA: Mind Garden.
- Hofer, S. M., Piccinin, A. M., & Hershey, D. (1996). Analysis of structure and discriminative power of the Mattis Dementia Rating Scale. *Journal of Clinical Psychology*, 52(4), 395-409.
- Jurica, P. J., Leitten, C. L., & Mattis, S. (2001). *Dementia Rating Scale-2 professional manual*. Lutz, FL: Psychological Assessment Resources.
- Kaplan, E. F., Goodglass, H., & Weintraub, S. (1983). *The Boston Naming Test*. Philadelphia: Lea & Febiger.
- Kolen, M. J., & Brennan, R. L. (1995). *Test equating: Methods and practices* (Springer series in statistics). New York: Springer-Verlag.
- Kozora, E., & Cullum, C. M. (1995). Generative naming in normal aging: Total output and qualitative changes using phonemic and semantic constraints. *The Clinical Neuropsychologist*, 9(4), 313-320.
- Kuçera, H., & Francis, W. N. (1967). *Computational analysis of present-day American English*. Providence, RI: Brown University Press.
- Lukatela, K. A., Cohen, R. A., Kessler, H., Jenkins, M. A., Moser, D. J., Stone, W. F., et al. (2000). Dementia Rating Scale performance: A comparison of vascular and Alzheimer's dementia. *Journal of Clinical and Experimental Neuropsychology*, 22(4), 445-454.
- Marson, D. C., Dymek, M. P., Duke, L. W., & Harrrell, L. E. (1997). Subscale validity of the Mattis Dementia Rating Scale. *Archives of Clinical Neuropsychology*, 12(3), 269-275.
- Mattis, S. (1976). Mental status examination for organic mental syndromes in the elderly patient. In L. Bellak and T. E. Karasu (Eds.), *Geriatric psychiatry: A handbook for psychiatrists and primary care physicians* (pp. 77-121). New York: Grune & Stratton.
- Mattis, S. (1988). *Dementia Rating Scale: Professional manual*. Odessa, FL: Psychological Assessment Resources.
- McCaffrey, R. J., Cousins, J. P., Westervelt, H. J., Martynowicz, M., Remick, S. C., Szebenyi, S., et al. (1995). Practice effects with the NIMH AIDS abbreviated neuropsychological battery. *Archives of Clinical Neuropsychology*, 10(3), 241-250.
- McFadden, L., Sampson, M., & Mohr, E. (1994). Screening for cognitive dysfunction in neurodegenerative illness. *Journal of Neurology, Neurosurgery, and Psychiatry*, 57(10), 1282.
- Meyers, C. A., Kudelka, A. P., Conrad, C. A., Gelke, C. K., Grove, W., & Pazdur, R. (1997). Neurotoxicity of CI-980, a novel mitotic inhibitor. *Clinical Cancer Research*, 3(3), 419-422.

- Mitchell, S. K. (1979). Interobserver agreement, reliability, and generalizability of data collected in observational studies. *Psychological Bulletin*, 86(2), 376-390.
- Mohr, E., Walker, D., Randolph, C., Sampson, M., & Mendis, T. (1996). Utility of clinical trials batteries in the measurement of Alzheimer's and Huntington's dementia. *International Psychogeriatrics*, 8(3), 397-411.
- Montgomery, K. M., & Costa, L. (1983a). *Neuropsychological test performance of a normal elderly sample*. Paper presented at the meeting of the International Neuropsychological Society, Mexico City, Mexico.
- Montgomery, K. M., & Costa, L. (1983b). *Concurrent validity of the Mattis Dementia Rating Scale*. Paper presented at the meeting of the International Neuropsychological Society Meeting, Lisbon, Portugal.
- Nelson, A., Fogel, B. S., & Faust, D. (1986). Bedside cognitive screening instruments: A critical assessment. *The Journal of Nervous and Mental Disease*, 174(2), 73-83.
- Paolo, A. M., Tröster, A. I., Glatt, S. L., Hubble, J. P., & Koller, W. C. (1995). Differentiation of the dementias of Alzheimer's and Parkinson's disease with the Dementia Rating Scale. *Journal of Geriatric Psychiatry and Neurology*, 8(3), 184-188.
- Rosser, A. E., & Hodges, J. R. (1994). The Dementia Rating Scale in Alzheimer's disease, Huntington's disease, and progressive supranuclear palsy. *Journal of Neurology*, 24(1), 531-536.
- Salmon, D. P., Thal, L. J., Butters, N., & Heindel, W. C. (1990). Longitudinal evaluation of dementia of the Alzheimer type: A comparison of 3 standardized mental status examinations. *Neurology*, 40(8), 1225-1230.
- Schmidt, K. (2003). Evidence of equivalence between the Mattis Dementia Rating Scale and a parallel form. Doctoral dissertation, University of Massachusetts, Boston.
- Schmidt, K., Lieto, J. M., Kiryankova, E., & Salvucci, A. (2004). Validity of the Dementia Rating Scale-2: Alternate Form. Manuscript submitted for publication.
- Schmidt, K., & Mattis, P. (2003). Evidence of equivalence between the Mattis Dementia Rating Scale and a parallel form. Poster presented at the meeting of the International Neuropsychological Society Meeting, Honolulu, Hawaii.
- Shavelson, R. J., & Webb, N. M. (1991). *Generalizability theory: A primer*. Thousand Oaks, CA: Sage.
- Smith, G. E., Ivnik, R. J., Malec, J. F., Kokmen, E., Tangalos, E., & Petersen, R. C. (1994). Psychometric properties of the Mattis Dementia Rating Scale. *Assessment*, 1(2), 123-131.
- Vangel, S. J., Jr., & Lichtenberg, P. A. (1995). Mattis Dementia Rating Scale: Clinical utility and relationship with demographic variables. *Clinical Neuropsychologist*, 9(3), 209-213.
- Vitaliano, P. P., Breen, A. R., Russo, J., Albert, M., Vitiello, M. V., & Prinz, P. N. (1984). The clinical utility of the Mattis Dementia Rating Scale for assessing Alzheimer's patients. *Journal of Chronic Diseases*, 37, 743-753.
- Watson, F. L., Pasteur, M.-A. L., Healy, D. T., & Hughes, E. A. (1994). Nine parallel versions of four memory tests: An assessment of form equivalence and the effects of practice on performance. *Human Psychopharmacology: Clinical and Experimental*, 9(1), 51-61.
- Wechsler, D. (1997). *Wechsler Adult Intelligence Scale-Third edition*. San Antonio, TX: The Psychological Corporation.
- Williams, B. W., Mack, W., & Henderson, V. W. (1989). Boston Naming Test in Alzheimer's disease. *Neuropsychologia*, 27(8), 1073-1079.
- Wilson, B. A., Watson, P. C., Baddeley, A. D., Emslie, H., & Evans, J. J. (2000). Improvement or simply practice? The effects of twenty repeated assessments on people with and without brain injury. *Journal of the International Neuropsychological Society*, 6, 469-479.