



Generated by **PARiConnect**

by **John Briere, PhD, and PAR Staff**

Client name : Sample Client
Client ID : 1357
Sex : Male
Age : 58
Race : -Not Specified-
Test date : 05/03/2013
Total missing responses: 0
Normative group: Males age 55 to 90 years

This report is intended for use by qualified professionals only and is not to be shared with the examinee or any other unqualified persons.

PAR • 16204 N. Florida Ave. • Lutz, FL 33549 • 1.800.331.8378 • www.parinc.com

Copyright 2011 by PAR. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of PAR.

Version: 1.00.028

TSI-2 Critical Items

Item	Score	Item description
23	0	Having sex with someone you hardly knew
24	3*	Attempting suicide
52	3*	Intentionally overdosing on pills or drugs
80	1*	Trying to kill yourself, but then changing your mind
87	3*	Thoughts or fantasies about hurting someone
97	0	Doing something violent because you were so upset
124	0	Intentionally hurting yourself (for example, by scratching, cutting, or burning) as a way to stop upsetting thoughts or feelings
133	0	Trying to end your life

Note: * = A critical item was endorsed which may require immediate intervention.

TSI-2 Validity and Clinical Scales

Scale / subscale	Raw score	T score	%ile
Validity scale			
Response Level (RL)	0	43	26
Atypical Response (ATR)	1	53	77
Clinical scale / subscale			
Anxious Arousal (AA)	9	51	60
Anxiety (AA-A)	6	57	78
Hyperarousal (AA-H)	3	45	35
Depression (D)	26	82	≥99
Anger (ANG)	9	56	77
Intrusive Experiences (IE)	10	58	79
Defensive Avoidance (DA)	13	58	80
Dissociation (DIS)	3	48	61
Somatic Preoccupations (SOM)*	10	49	53
Pain (SOM-P)	3	41	23
General (SOM-G)	7	56	68
Sexual Disturbance (SXD)	1	43	28
Sexual Concerns (SXD-SC)	1	44	37
Dysfunctional Sexual Behavior (SXD-DSB)	0	44	24
Suicidality (SUI)	19	≥100	≥99
Ideation (SUI-I)	11	93	≥99
Behavior (SUI-B)	8	≥100	≥99
Insecure Attachment (IA)	10	53	63
Relational Avoidance (IA-RA)	4	48	46
Rejection Sensitivity (IA-RS)	6	58	80
Impaired Self-Reference (ISR)	8	56	74
Reduced Self-Awareness (ISR-RSA)	7	69	95
Other-Directedness (ISR-OD)	1	41	20
Tension Reduction Behavior (TRB)	4	57	81


* SOM clinical scale = SOMA factor.

TSI-2 Factors

Factor	Raw score	T score	%ile
Self-Disturbance (SELF)	44	66	94
Posttraumatic Stress (TRAUMA)	35	55	72
Externalization (EXT)	33	69	94
Somatization (SOMA)*	10	49	53

* SOMA factor = SOM clinical scale.

TSI-2 Profile



TSI-2 Item Responses

Item #	Resp.	Item #	Resp.	Item #	Resp.	Item #	Resp.
1	1	35	1	69	1	103	2
2	3	36	1	70	0	104	0
3	0	37	1	71	1	105	2
4	0	38	3	72	3	106	2
5	1	39	0	73	0	107	0
6	1	40	2	74	1	108	1
7	2	41	1	75	1	109	1
8	1	42	0	76	1	110	0
9	0	43	0	77	1	111	1
10	2	44	2	78	1	112	0
11	1	45	1	79	0	113	1
12	1	46	1	80	1	114	2
13	0	47	1	81	1	115	1
14	0	48	0	82	1	116	1
15	1	49	2	83	1	117	2
16	3	50	1	84	0	118	0
17	1	51	0	85	1	119	1
18	1	52	3	86	3	120	0
19	1	53	2	87	3	121	2
20	0	54	0	88	1	122	1
21	1	55	0	89	1	123	1
22	1	56	0	90	1	124	0
23	0	57	1	91	1	125	0
24	3	58	2	92	1	126	2
25	1	59	0	93	0	127	1
26	0	60	1	94	2	128	1
27	0	61	1	95	1	129	2
28	1	62	0	96	2	130	0
29	2	63	2	97	0	131	1
30	3	64	0	98	0	132	0
31	1	65	0	99	1	133	0
32	2	66	2	100	3	134	1
33	1	67	1	101	1	135	0
34	0	68	1	102	1	136	0

*** End of Report ***

In the last 6 months, how often have you experienced:			
0	1	2	3
Never			Often